

FRANK J. UXA, JR.\*  
ROBERT D. BUYAN\*  
DONALD P. STOUT  
KENTON R. MULLINS  
JO ANNE M. YBAGEN  
LINDA ALLYSON FOX  
GREG S. HOLLRIGEL, Ph.D.\*\*

LAW OFFICES OF  
**STOUT, UXA, BUYAN & MULLINS, LLP**

4 VENTURE, SUITE 300  
IRVINE, CALIFORNIA 92618  
(949) 450-1750  
FACSIMILE: (949) 450-1764

PATENTS, TRADEMARKS,  
COPYRIGHTS, AND RELATED  
INTELLECTUAL PROPERTY  
MATTERS

GORDON L. PETERSON (Retired)

\*PROFESSIONAL CORPORATION

\*\*REGISTERED PATENT AGENT

OUR FILE NO.

MCRVT-023C

**FACSIMILE COVER SHEET**

Date: October 21, 2004

To: Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RECEIVED  
CENTRAL FAX CENTER

OCT 21 2004

Facsimile: 703-872-9306

Re: U.S. Patent Application No. 09/758,832  
Applicant: Horton  
Title: Insitu Formable and Self-Forming Intravascular Flow Modifier (IFM), Catheter  
and IFM Assembly and Method for Deployment of Same

From: Robert D. Buyan

Total Number of Pages: 10 (including this form). Please notify us immediately if you have not received all pages.

Message:

**CERTIFICATE OF FACSIMILE TRANSMISSION**

I hereby certify that this correspondence for Serial No. 09/758,832 is being facsimile transmitted to the Mail Stop Amendment, Commissioner for Patents at (703) 872-9306 on October 21, 2004.

Name of person sending facsimile: Francine Sanders, Assistant to Robert D. Buyan

Signature: 

**BEST AVAILABLE COPY**

**PRIVACY NOTICE:** This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential or exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us at the above address. Thank you.

Attorney Docket No.: MCRVT-023C

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: Horton )

Art Unit: 3731

Application No. 09/758,832 )

Examiner: Thaler, M.

Filed: January 11, 2001 )

For: Insitu Formable and Self-Forming )  
Intravascular Flow Modifier (IFM), )  
Catheter and IFM Assembly, and Method )  
for Deployment of Same )RECEIVED  
CENTRAL FAX CENTER

OCT 21 2004

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450Transmittal Letter

Dear Sir:

- ☐ In accordance with Rule 136, the Commissioner is hereby petitioned for a \_\_ ( ) month extension of time, extending to \_\_, 2004 the period for response to the Office action dated **October 14, 2004**.
- ☐ Enclosed is a certified copy of Serial No. \_\_\_\_\_ from which priority is claimed in the subject case pursuant to 37 CFR § 1.55b and 35 U.S.C. § 119.
- ☐ Enclosed is an Assignment of the invention to [Assignee], including a cover sheet and Check No. [Assignment Check No.] for \$40.
- ☐ A Declaration of Inventorship and Limited Power of Attorney is enclosed.
- ☒ Enclosed herewith is a Revised Amendment and Response to Notice of Non-Complaint amendment. Entry and consideration of this amendment is requested.


- ☐ Check No. --- is enclosed covering the additional filing fees in the amount of \$0.00, with the fees calculated as follows:

	(Col. 1) Claims Highest No. Remaining After Amendment	(Col. 2) Previously Paid For	(Col. 3) Present Additional Extra	Small Entity Rate	Additional Fee	Other than a Small Entity Rate	Fee
Total claims	16	- 20	= 0	x 9 \$	Or x 18 \$		
Independent claims	2	- 2	= 0	x 42 \$	Or x 84 \$		
First presentation of multiple dependent claims				+ 140 \$	Or + 280 \$		
				Total \$	Or Total \$		

- ☒ The Commissioner is hereby authorized to charge any underpayment and credit any overpayment of the filing fees required under 37 CFR § 1.16 and any patent application processing fees required under 37 § CFR 1.17 to Deposit Account No. 50-0878.

Respectfully submitted,  
Stout, Uxa, Buyan & Mullins, LLP

Date: October 21, 2004

  
Robert D. Buyan, Reg. No. 32,460


4 Venture, Suite 300  
Irvine, CA 92618  
Telephone: (949) 450-1750; Facsimile: (949) 450-1764  
email: rbuyan@patlawyers.com

#### CERTIFICATE OF FACSIMILE MAILING

I hereby certify that this correspondence is being transmitted by facsimile to (703) 872-9306 addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on October 21, 2004.

Dated: October 21, 2004

By

  
Francine Sanders, Assistant

Attorney Docket No. MCRVT-023C

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: Horton	)	Art Unit: 3731
Application No. 09/758,832	)	Examiner: Thaler, M.
Filed: January 11, 2001	)	
For: Insitu Formable and Self-Forming	)	
Intravascular Flow Modifier (IFM),	)	
Catheter and IFM Assembly, and Method	)	
for Deployment of Same	)	

RECEIVED  
CENTRAL FAX CENTER  
OCT 21 2004

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REVISED AMENDMENT  
AND  
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT**

Sir:

This response to the Failure to Acceptably Respond to Notice of Non-Compliant Amendment dated October 14, 2004. To advance prosecution of this application without further delay, please substitute the following for the previously filed amendment/response:

Amendments to the Claims are reflected in the listing of claims begins on page 2 of this paper.

Remarks/Arguments begin on page 7 of this paper.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**